


## Respiratory Pathogens Data Jul 20- Oct 26 2018



Week Beginning	InfA-H1	InfA-H3	2009 H1N1	Inf B	RSV	All Para	EV/ Rhino	Meta pneumo	Adeno	All Corona	Bocca	Mycoplasma	Chlamydia	Total Pos	POS FLU	Total	ACL %FLU	US %FLU	IL/WI PCR	Sofia EIA
OCT 19	0	0	1	0	12	25	93	1	5	3	3	6	0	149	1	415	0.2	n/a	n/a	1.3
OCT 12	0	0	0	0	11	17	111	1	4	3	0	1	1	149	0	478	0.0	0.6	0.4	1.0
OCT 6	0	0	1	0	4	15	101	2	5	1	2	2	0	133	1	435	0.2	0.8	0.5	0.9
SEP 28	0	0	0	0	1	10	103	2	1	2	2	3	0	124	0	410	0.0	0.9	0.1	0.9
SEP 21	0	0	0	0	1	10	107	1	6	3	3	0	2	133	0	388	0.0	0.8	0.9	0.9
SEP 14	0	0	0	0	2	9	135	0	2	0	5	1	0	154	0	415	0.0	0.7	1.0	0.7
SEP 7	0	0	0	0	0	9	113	0	4	0	1	1	0	128	0	370	0.0	1.7	0.5	0.9
AUG 31	0	0	1	0	1	6	84	1	3	1	5	0	0	102	1	338	0.3	1.8	0.7	0.7
AUG 24	0	1	0	0	1	3	67	1	0	0	2	0	0	75	1	258	0.4	1.6	0.2	6.9
AUG 17	0	0	0	0	0	8	42	1	1	2	1	0	1	56	0	267	0.0	0.3	1.2	2.3
AUG 10	0	0	2	0	0	6	55	2	2	1	1	1	0	70	2	246	0.8	0.9	0.2	3.4
AUG 3	0	0	0	0	0	5	35	1	5	0	0	0	0	46	0	229	0.0	1.0	0.2	0.0
JULY 27	0	0	0	0	0	12	44	1	8	1	2	1	1	70	0	288	0.0	1.0	0.2	0.0
JULY 20	0	0	0	0	1	32	43	1	3	0	1	1	0	82	0	304	0.0	0.6	0.9	0.0

Flu PCR  
% Rate

# ACL RESP. PANEL - POSITIVITY RATE AII 2018 - 35.9%


- All Corona
- Chla mydia
- Myco plasma
- All Para
- Adeno
- Meta pneumo
- EV / Rhino
- RSV
- Inf B
- InfA-H3
- 2009 H1N1
- InfA-H1
- Bocca





CDC Oct 20, 2018 **Positivity rate 0.6%** - Flu A – 62% , Flu B – 38%


### Influenza Positive Tests Reported to CDC by U.S. Clinical Laboratories, National Summary, October 1, 2017 – October 20, 2018



## A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists\*


Week Ending Oct 20, 2018 - Week 42



\*This map indicates geographic spread and does not measure the severity of influenza activity.

Data Reported to ILINet

## 2018-19 Influenza Season Week 42 ending Oct 20, 2018



\*This map uses the proportion of outpatient visits to healthcare providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.


\*Data collected in ILINet may disproportionately represent certain populations within a state, and therefore may not accurately depict the full picture of influenza activity for the whole state.

\*Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.


\*Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete.

\*For the data download you can use Activity Level for the number and Activity Level Label for the text description.

The most prevalent target as Oct 26<sup>th</sup> were VZV and EV 7%




The most prevalent targets as Oct 26<sup>th</sup> was Giardia






The most prevalent target as Oct 26<sup>th</sup> was Norovirus



	BV-Bacterial vaginosis	Candida albicans	Candida glabrata	Candida kruzei	T. vaginalis	M. genitalium	M. hominis	U. parvum	TOTAL % POS
% pos	<b>20.8</b>	<b>12.8</b>	<b>2.0</b>	<b>0.4</b>	<b>2.9</b>	<b>0.1</b>	<b>6.6</b>	<b>18.3</b>	<b>46.8</b>



Neuraminidase Inhibitors Resistance in Samples Collected – May 20- Oct 13, 2018,

Per CDC website	Oseltamivir		Zanamivir		Peramivir	
	Virus Samples tested (n)	Resistant Viruses, (%)	Virus Samples tested (n)	Resistant Viruses, (%)	Virus Samples tested (n)	Resistant Viruses, (%)
Influenza A (H1N1)pdm09	63	0	63	0	63	0
Influenza A (H3N2)	57	0	57	0	57	0
Influenza B	44	0	44	0	44	0